

## **Safety Data Sheet**

## prepared to UN GHS Revision 3

## 1. Identification of the Substance/Mixture and the Company/Undertaking

1.1 Product Identifier F01-101-FC-C-BLNK-1.897 Revision Date: 28/11/2016

Product Name: Flowfresh Coating - Filler C Supercedes Date: New SDS

1.2 Relevant identified uses of the substance or mixture and uses

advised against

No Information

1.3 Details of the supplier of the safety data sheet

Importer: Flowcrete Australia Pty Ltd

Unit 2, 41 Deakin Street Brendale Queensland 4500

Australia

Phone: +61 7 3205 7115 Fax: +61 7 3205 3116 australia@flowcrete.com www.flowcreteaustralia.com.au

Datasheet Produced by: Hadadek, Mohd - malaysia@flowcrete.com

1.4 Emergency telephone number: CHEMTREC 1-800-424-9300 (Inside US)

CHEMTREC +1 703 5273887 (Outside US)

## 2. Hazard Identification

#### 2.1 Classification of the substance or mixture

Carcinogenicity, category 1A Serious Eye Damage, category 1 STOT, repeated exposure, category 2 STOT, single exposure, category 2 Skin Irritation, category 2 Skin Sensitizer, category 1

#### 2.2 Label elements

## Symbol(s) of Product



## Signal Word

Danger

## Named Chemicals on Label

calcium hydroxide, calcium oxide, quartz (silicon dioxide), portland cement

## HAZARD STATEMENTS

Skin Irritation, category 2	H315	Causes skin irritation.
Skin Sensitizer, category 1	H317	May cause an allergic skin reaction.
Serious Eye Damage, category 1	H318	Causes serious eye damage.
Carcinogenicity, category 1A	H350-1A	May cause cancer.
STOT, single exposure, category 2	H371	May cause damage to organs.
STOT, repeated exposure, category 2	H373	May cause damage to organs through prolonged or repeated
		exposure.

## **PRECAUTION PHRASES**

P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P264	Wash hands thoroughly after handling.
P280	Wear protective gloves/protective clothing/eye protection/
	face protection.
P284	Wear respiratory protection.
P301+310	IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician.
P302+352	IF ON SKIN: Wash with plenty of soap and water.
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do so. Continue rinsing.
P308+313	IF exposed or concerned: Get medical advice/attention.
P309+P311	IF exposed or if you feel unwell: Call a POISON CENTER or doctor/physician.
P314	Get medical advice/attention if you feel unwell.
P333+313	If skin irritation or rash occurs: Get medical advice/attention.

## 2.3 Other hazards

No Information

### Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

## 3. Composition/Information On Ingredients

#### 3.2 Mixtures

## **Hazardous Ingredients**

CAS-No.	Chemical Name	<u>%</u>
65997-15-1	portland cement	50-75
1305-62-0	calcium hydroxide	10-25
1309-37-1	red iron oxide	2.5-10

7778-18-9	calcium sulfate	2.5-10
1305-78-8	calcium oxide	2.5-10
1317-65-3	limestone	1.0-2.5
14808-60-7	quartz (silicon dioxide)	1.0-2.5

CAS-No.	GHS Symbols	GHS Hazard Statements	M-Factors
65997-15-1	GHS05-GHS07	H315-317-318	0
1305-62-0	GHS05	H315-318	0
1309-37-1			0
7778-18-9			0
1305-78-8	GHS05-GHS07	H315-318-335	0
1317-65-3	GHS07	H315-319	0
14808-60-7	GHS08	H350-370	0

Additional Information:

The text for GHS Hazard Statements shown above (if any) is given in Section 16.

## 4. First-aid Measures

#### 4.1 Description of First Aid Measures

**GENERAL NOTES:** When symptoms persist or in all cases of doubt seek medical advice.

AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure.

AFTER SKIN CONTACT: Use a mild soap if available. Wash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a physician.

**AFTER EYE CONTACT:** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses. If eye irritation persists, consult a specialist.

**AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Do NOT induce vomiting. Never give anything by mouth to an unconscious person.

#### Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

#### 4.2 Most important symptoms and effects, both acute and delayed

No Information

#### 4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

## 5. Fire-fighting Measures

#### 5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

#### 5.2 Special hazards arising from the substance or mixture

No Information

#### 5.3 Advice for firefighters

None known. The product itself does not burn. In the event of fire, wear self-contained breathing apparatus. WaterUse water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

## 6. Accidental Release Measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment.

#### 6.2 Environmental precautions

Do not allow material to contaminate ground water system. Prevent product from entering drains.

#### 6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. After cleaning, flush away traces with water.

#### 6.4 Reference to other sections

Please refer to disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

## 7. Handling and Storage

### 7.1 Precautions for safe handling

**INSTRUCTIONS FOR SAFE HANDLING:** Take measures to prevent the build up of electrostatic charge. Use only in area provided with appropriate exhaust ventilation. Wear personal protective equipment. Protect from moisture. **PROTECTION AND HYGIENE MEASURES:** Wash hands before breaks and at the end of workday. Do not breathe dust. When using, do not eat, drink or smoke.

## 7.2 Conditions for safe storage, including any incompatibilities

**CONDITIONS TO AVOID:** Avoid moisture.

**STORAGE CONDITIONS:** Keep tightly closed in a dry and cool place. Keep locked up or in an area accessible only to qualified or authorised persons.

#### 7.3 Specific end use(s)

No specific advice for end use available.

## 8. Exposure Controls/Personal Protection

## 8.1 Control parameters

# Ingredients with Occupational Exposure Limits (AU)

Name	CAS-No.	TWA ppm	STEL ppm	TWA mg/m3	STEL mg/m3
portland cement	65997-15-1			10	
calcium hydroxide	1305-62-0			5	
red iron oxide	1309-37-1			5	
calcium sulfate	7778-18-9			10	
calcium oxide	1305-78-8			2	
limestone	1317-65-3			10	
quartz (silicon dioxide)	14808-60-7			0.1	
Name	CAS-No.	OEL Note			
portland cement	65997-15-1				
calcium hydroxide	1305-62-0				
red iron oxide	1309-37-1				
calcium sulfate	7778-18-9				
calcium oxide	1305-78-8				
limestone	1317-65-3				
quartz (silicon dioxide)	14808-60-7				

FURTHER INFORMATION: Refer to the regulatory exposure limits for the workforce enforced in each country.

#### 8.2 Exposure controls

**Personal Protection** 

**RESPIRATORY PROTECTION:** Effective dust mask. **EYE PROTECTION:** Tightly fitting safety goggles.

HAND PROTECTION: Protective gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use.

**OTHER PROTECTIVE EQUIPMENT:** No Information

ENGINEERING CONTROLS: Avoid contact with skin, eyes and clothing. Ensure adequate ventilation, especially in confined

Not determined

areas.

## 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

Appearance: amber liquid

Physical State Liquid
Odor slight

Odor threshold

pH

Not determined

Melting point / freezing point (°C)

Not determined

Not determined

Not determined

Not determined

Not determined

Flash Point, (°C) 999

Evaporation rate Not determined Flammability (solid, gas) Not determined

Upper/lower flammability or explosive

limits

Vapour Pressure Not determined
Vapour density Not determined

Relative density ~1.03

Solubility in / Miscibility with water

Partition coefficient: n-octanol/water

Auto-ignition temperature (°C)

Not determined

Not determined

Not determined

Not determined

Not determined

Not determined

Viscosity

Not determined

Explosive properties

Not determined

Not determined

Not determined

9.2 Other information

VOC Content g/l: 0

Specific Gravity (g/cm3) 0.092

## 10. Stability and Reactivity

#### 10.1 Reactivity

No reactivity hazards known under normal storage and use conditions.

#### 10.2 Chemical stability

Stable under normal conditions.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation does not occur.

#### 10.4 Conditions to avoid

Avoid moisture.

## 10.5 Incompatible materials

Do not store near acids. Acids.

#### 10.6 Hazardous decomposition products

No hazardous decomposition products are known.

## 11. Toxicological Information

#### 11.1 Information on toxicological effects

**Acute Toxicity:** 

Oral LD50: No information available.

Inhalation LC50: No information available.

Irritation: No information available.

Corrosivity: No information available.

**Sensitization:** No information available.

Repeated dose toxicity: No information available.

Carcinogenicity: No information available.

**Mutagenicity:** No information available.

**Toxicity for reproduction:** No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	<u>Chemical Name</u>	Oral LD50	Dermal LD50	Vapor LC50
1305-62-0	calcium hydroxide	7340 mg/kr, oral, rat		
1309-37-1	red iron oxide	>2000 mg/kg		
14808-60-7	quartz (silicon dioxide)	>2000 mg/kg		

## **Additional Information:**

This product may contain Quartz (silicon dioxide), which is listed by IARC as a known carcinogenic to humans (Group 1). This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

## 12. Ecological Information

#### 12.1 Toxicity:

EC50 48hr (Daphnia):

IC50 72hr (Algae):

No information

No information

No information

12.2 Persistence and degradability: No information

12.3 Bioaccumulative potential: No information

**12.4 Mobility in soil:** No information

12.5 Results of PBT and vPvB The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

assessment:

12.6 Other adverse effects: No information

CAS-No.	<u>Chemical Name</u>	EC50 48hr	IC50 72hr	LC50 96hr
65997-15-1	portland cement	No information	No information	Not available
1305-62-0	calcium hydroxide	No information	No information	Not available
1309-37-1	red iron oxide	No information	No information	Not available
7778-18-9	calcium sulfate	No information	No information	Not available
1305-78-8	calcium oxide	No information	No information	Not available
1317-65-3	limestone	No information	No information	Not available
14808-60-7	quartz (silicon dioxide)	No information	No information	Not available

## 13. Disposal Considerations

**13.1 WASTE TREATMENT METHODS:** If recycling is not practicable, dispose of in compliance with local regulations. Empty containers should be taken to an approved waste handling site for recycling or disposal.

## 14. Transport Information

**14.1 UN number** Not applicable

**14.2 UN proper shipping name** Not regulated for transport according to U.S. DOT, ADR/RID, IMDG,

and IATA regulations.

Not applicable **Technical name** 14.3 Transport hazard class(es) Not applicable Subsidiary shipping hazard Not applicable 14.4 Packing group Not applicable 14.5 Environmental hazards Not applicable 14.6 Special precautions for user Not applicable EmS-No.: Not applicable 14.7 Transport in bulk according to Annex II Not applicable of MARPOL 73/78 and the IBC code

14.8 ADG Hazchem Code Not applicable

## 15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation for the substance or mixture:

#### **National Regulations:**

Not available **Denmark Product Registration Number:** 

Danish MAL Code: Not available

Danish MAL Code - Mixture: Not available

Not available **Sweden Product Registration Number:** 

**Norway Product Registration Number:** Not available

Not available WGK Class:

#### 15.2 **Chemical Safety Assessment:**

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

## Other Information

## Text for GHS Hazard Statements shown in Section 3 describing each ingredient:

H315 Causes skin irritation.

H317 May cause an allergic skin reaction. H318 Causes serious eye damage. Causes serious eye irritation. H319 H335 May cause respiratory irritation.

H350 May cause cancer.

H370 Causes damage to organs.

#### Reasons for revision

No Information

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830;

European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

### Acronym & Abbreviation Key:

CLP Classification, Labeling & Packaging Regulation

European Commission F.C ΕU European Union US United States

CAS Chemical Abstract Service

European Inventory of Existing Chemical Substances EINECS

Registration, Evaluation, Authorization of Chemicals Regulation REACH

Globally Harmonized System of Classification and Labeling of Chemicals GHS

LTEL Long term exposure limit Short term exposure limit STEL OEL Occupational exposure limit

Parts per million ppm

Milligrams per cubic meter mg/m3

TLV Threshold Limit Value

ACGIH American Conference of Governmental Industrial Hygienists

OSHA Occupational Safety & Health Administration

PEL Permissible Exposure Limits
VOC Volatile organic compounds

g/l Grams per liter

mg/kg Milligrams per kilogram

N/A Not applicable LD50 Lethal dose at 50%

LC50 Lethal concentration at 50%

EC50 Half maximal effective concentration
IC50 Half maximal inhibitory concentration
PBT Persistent bioaccumulative toxic chemical
vPvB Very persistent and very bioaccumulative

EEC European Economic Community

ADR International Transport of Dangerous Goods by Road RID International Transport of Dangerous Goods by Rail

UN United Nations

IMDG International Maritime Dangerous Goods Code
IATA International Air Transport Association

MARPOL International Convention for the Prevention of Pollution From Ships, 1973 as

modified by the Protocol of 1978

IBC International Bulk Container RTI Respiratory Tract Irritation

NE Narcotic Effects

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.